



EMBRACE

Kennedy
FLOORINGS



The latest innovation in Stone Core technology

Embrace is our latest innovation in Stone Core technology. Leggera Stone Core has all of the revolutionary characteristics of our Stone Core while being 25% lighter.

Moreover, we have made several improvements to enhance stability, facilitate easier installation, and increase durability.

Available in two collections, Classic Timber and Classic Herringbone, featuring ten unique styles.

In photo: Yucaipa Oak, Classic Timber

COMPOSITION

Foundation: composed of the Leggera (light) Stone Core with an attached pvc balancing layer followed with an IXPE [10X] attached underpad. Surface: covering the foundation substrate is the high definition film imaging followed by commercial grade wearlayer with an Embossed in Register finish and a pu aluminum oxide protection overlay.

TOP LAYER

- Commercial grade 20mil wear layer
- Polyurethane coated – UV cured
- Superior stain & fade resistance
- Antimicrobial & easy to clean
- Embossed in register
- Micro bevel edge
- Durable & resilient

IMAGING

- High definition imaging
- Life-like to beautifully reproduce natural hardwood

LEGGERA STONE CORE

- 100% waterproof
- Robust 2G angle-tap-click locking system
- Glueless installation
- Dimensionally stable
- 25% lighter than traditional stone core

BALANCE LAYER

- 100% PVC
- Increases dimensional stability & rigidity
- Increases stability & core resiliency over irregular substrates


UNDERPAD

- Attached underpad
- IXPE [10x]
- High density
- High compression strength
- Superior sound-dampening qualities
- Excellent moisture barrier



In photo: Perlino Oak, Classic Timber

The features of Leggera Stone Core



Embrace the untouched beauty of nature. Naturally coloured to bring timeless elegance to your interior environment, just as nature intended – pure and undisturbed.

Intelligently designed and manufactured to provide a robust and low maintenance flooring system for both residential and commercial applications.



In photo: Virginia Oak, Classic Timber

PERFORMANCE

Geometrical Characteristics Flatness Squareness	ISO 24337:2019	Pass
Residual Indentation Surface Integrity	ASTM F1914-18	Pass
Dimensional Stability Curl (≤ 0.080 in)	ASTM F2199-20	Pass
Resistance to Heat	ASTM F1514-19	Pass
Resistance to Light	ASTM F1515-21	Pass
Resistance to Chemicals	ASTM F925-13(2020)	Pass
Static Load Resistance	ASTM F970-22	Pass
VOC/Chemical Threshold	CDPH/EHLB/Standard Method V1.2, 2017	Not Detected
Critical Radiant Flux	ASTM E648	Class 1
Slip Resistance	DIN 51130:2014-02	R10
Impact Insulation Class IIC	ASTM E492-09 / ASTM E989-18	74 dB*
Sound Transmission Class STC	ASTM E90-09 / ASTM E413-16	72 dB*

*Sound rating will vary based on building construction.

In photo: Tavern Oak, Classic Timber



CLASSIC TIMBER

In photo: Montblanc Oak, Embrace Classic Timber

PACKAGING

Type	Leggera Stone Core
Dimensions	9" x 70" (228MM x 1,800MM)
Thickness	6.5MM Leggera Stone Core + 1.5MM IXPE [10x] Attached Pad
Overall Thickness	8.0MM
Wear Layer	20MIL PU Coated
Finish	Embossed in Register
Edge	Micro Bevel
Installation	Floating 2G Unilin Click
Pattern Repeat	4/4
Residential Warranty	Exclusive Lifetime
Commercial Warranty	Exclusive 15 Years

PACKAGING

Box	5 Planks	22.09 SQFT	2.052 SQM
Pallet	52 Boxes	1,148.55 SQFT	106.70 SQM
Container	20 Pallets	22,971 SQFT	2,134.08 SQM



In photo: Augustine White Oak, Embrace Classic Timber

Nature's Beauty, untouched and timeless — let it grace your floors

ALPINE WHITE OAK

LSC.EMB.CTIM-0970/ALPOAK
UPC: 99001110047



AUGUSTINE WHITE OAK

LSC.EMB.CTIM-0970/AUWOAK
UPC: 99001110048



MONTBLANC OAK

LSC.EMB.CTIM-0970/MONOAK
UPC: 99001110049



OREGON WHITE OAK

LSC.EMB.CTIM-0970/OREOAK
UPC: 99001110050



PERLINO OAK

LSC.EMB.CTIM-0970/PEROAK
UPC: 99001110051



TAVERN OAK

LSC.EMB.CTIM-0970/TAVOAK
UPC: 99001110052



VIRGINIA OAK

LSC.EMB.CTIM-0970/VIROAK
UPC: 99001110053



YUCAIPA OAK

LSC.EMB.CTIM-0970/YUCOAK
UPC: 99001110054





In photo: Oregon White Oak, Embrace Classic Herringbone



CLASSIC HERRINGBONE

Classic Herringbone styles are direct crossovers from the Classic Timber collection, ensuring design continuity with a distinct, elegant pattern.

PACKAGING

Type	Leggera Stone Core
Dimensions	4" x 24" (100MM x 600MM)
Thickness	6.5MM Leggera Stone Core + 1.5MM IXPE [10x] attached pad
Overall Thickness	8.0MM
Wear Layer	20MIL PU Coated
Finish	Embossed in Register
Edge	Micro Bevel
Installation	Floating 2G Unilin Click
Pattern Repeat	27/27
Residential Warranty	Exclusive Lifetime
Commercial Warranty	Exclusive 15 Years

PACKAGING

Box	24 Planks	15.50 SQFT	1.44 SQM
Pallet	72 Boxes	1,116.00 SQFT	103.68 SQM



In photo: Augustine White Oak, Embrace Classic Herringbone

Unique and distinct, designed to
realize your vision.

AUGUSTINE WHITE OAK

LSC.EMB.CTIM-0970/YUCOAK
UPC: 99001110054



OREGON WHITE OAK

LSC.EMB.CTIM-0970/YUCOAK
UPC: 99001110054



About Kennedy Floorings

Kennedy Floorings is family owned and operated and has been servicing Western Canada since 1856. We at Kennedy Floorings are leaders in providing Canada with the latest in floor covering fashions and technologies, pioneering many floor covering products and categories. We carry an array of commercial and residential floor covering products to meet all of our customer's needs.

Kennedy Floorings works domestically and internationally to hand select its products in order to bring the latest in floor covering design, fashion, and technology to the Canadian Market. We pride ourselves on maintaining the highest level of customer support and service as well as supplying superior products at competitive prices.



For every square foot sold of all Embrace branded products, we are donating 1¢ to life saving cancer research. 2 in 5 Canadians will be diagnosed with cancer in their life, and Kennedy Floorings along with EmbraceLife, seeks to advance the future of possible treatments and cures.

In honour of Susan.



EMBRACE

CLASSIC TIMBER

Alpine White Oak | Augustine White Oak
Montblanc Oak | Oregon White Oak | Perlino Oak
Tavern Oak | Virginia Oak | Yucaipa Oak

EMBRACE

CLASSIC HERRINGBONE

Augustine White Oak | Oregon White Oak

In photo: Perlino Oak, Classic Timber



Kennedy FLOORINGS

Ph: (800) 665.7424 | Email: info@kennedyfloorings.com | Website: www.kennedyfloorings.com

Main Office: 151 Paramount Rd | Winnipeg, MB | R2X 2W6, Canada